


Iridescence Parameters



In the parameters below, some them can be overridden by a [PxrLayer](#) when connected to the **Input Material** or through a [PxrLayerMixer](#). [PxrLayerSurface](#) is designed to better illustrate which parameters are not able to be overridden in a layer by including only parameters that are global. We recommend this material when you know you will be layering. The results of these settings are unchanged.

- **Bold Face** parameters are layer-able and able to be overridden per layer.
- *Italicized* parameters are not able to be layered or overridden. These are globally obeyed for all layers. For example: Choosing GGX as a specular model will mean all layers will be GGX for that parameter.

Iridescence

Iridescence is a view-dependent scattering of light that causes a color shift. This is the same effect responsible for the color swirl on a soap bubble, peacock feathers, or a shiny beetle. "Holographic" or color shifting paint uses this effect as well.


Iridescence Mode


Select which iridescence mode to use: **Artistic** or **Physical**.

In **Artistic mode**, we just set 2 colors. Depending on the iridescence scale factor, we will see N number of "rainbows". The default of red and blue is appropriate to get a maximum color spread but you can reduce the number of colors rendered by changing these defaults. Unless otherwise specified or demonstrating an **Artistic** Parameter, the examples use **Physical** mode.

In **Physical mode**, we pass the thickness of your thin film in nanometers. The iridescence effect happens when the physical thickness is close to the visible spectrum. You can start around 800nm and increase the value to see the effect. This option is great because it reduces parameters to tweak at the cost of flexibility. Unless otherwise specified or demonstrating an **Artistic** Parameter, the examples use **Physical** mode.


Below are **Artistic** (left) and **Physical** (right) modes.


 Unknown Attachment


 Unknown Attachment

Face Gain

Iridescence gain at facing angle (0-degree incidence).


 Unknown Attachment


 Unknown Attachment


 Unknown Attachment

Edge Gain

Iridescence gain at the glancing angle (90-degree incidence).

 Unknown Attachment

 Unknown Attachment

 Unknown Attachment

Fresnel Exponent

This controls the falloff between the face and edge. Similar to the **Fresnel Exponent** of the Specular Lobes. This is typically left at the default of 5.0

Primary Color

This is for **Artistic mode** only.

Iridescence primary color on the hue wheel to start from. From here the color shifts through the other available hues between the Primary and Secondary Color. The closer on the color wheel your choices, the fewer colors will be rendered. Below are three examples beginning at Red, then Yellow, and finally Green. The color bar shows what colors are available between these choices.

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

Secondary Color

This is for **Artistic mode** only.

Iridescence secondary color on the hue wheel to end. As demonstrated above you can use this to limit the colors rendered. Below are three examples where the Secondary Color goes from Violet to Blue and finally to Green. The hue bar shows this change on a ramp.

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

Falloff Speed

This is for **Artistic mode** only.

Falloff speed from Primary Color to Secondary Color. Larger numbers falloff more slowly. Below uses the defaults for **Artistic Mode** but we change the Falloff Speed from 0.1 to 0.5 to 1.0

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

Falloff Scale

This is for **Artistic mode** only.

This sets how many times the iridescence "rainbows" color repeat. Below we go from 0.5 to 1.0 and finally 3.0. Notice that higher values begin to repeat the rainbow effect. This is useful for simulating oil patterns such as oil on water or soap bubbles.

? Unknown Attachment

? Unknown Attachment

? Unknown Attachment

Flip Hue Direction

This is for **Artistic mode** only.

Flip the hue wheel direction between primary and secondary colors. By default, the hue wheel direction is counterclockwise. The Left is *off*, right is *on*.

? Unknown Attachment

? Unknown Attachment

Thin Film Thickness

This is for **Physical mode** only.

Thinfil thickness in nanometers. We begin at 400 then 800 and finally 1600 nanometers from left to right. Notice that at 1600 we begin to see a repetition in the rainbow effect. This is similar to the effect of using the **Falloff Scale** in **Artistic Mode**.



Unknown Attachment



Unknown Attachment



Unknown Attachment

Roughness

Iridescence roughness is like other roughness parameters where you can go from a mirror-like reflection at 0.0 to a diffuse reflection at 1.0. Below are examples, left to right, of 0.0, 0.5, and 1.0. Softer looks are reminiscent of color-changing makeup and similar powders.



Unknown Attachment



Unknown Attachment



Unknown Attachment

Double Sided

If on, illuminate both sides of the surface for this iridescence lobe. This is useful for thin open surfaces such as feathers and leaves that are modeled without thickness.



Unknown Attachment

RenderMan Fundamentals

[Back to the top](#)