Subdivision Surfaces

See Subdivision Surfaces for more information on subdivision surfaces.

Poorly tessellated (non-subdivision) surfaces may show artifacts when rendering like dark edges and outlines. It's recommended to render smooth subdivisions to avoid this artifact. You may also use polygons with no normals defined and then subdivide, RenderMan will compute the normals for you.

To render a polygon as a subdivision surface, add the RenderMan tab to the OBJ node. Toggle the "Render Polygons As Subdivision" parameter found in the Geometry > SubdivisionMesh rollout. You will also need to set the Style parameter to Catmull-Clark, Bilinear, or Loop.

ſ	Primvars									
	Sha	ding	Dicing	Geometr	y Specific	User				
	Points Curves									
	Ŧ	Volu	me							
	÷	Poly	gonMesh							
	-	SubdivisionM								
	✓ Render Polygons As Subdivision									
				Style	Catmu	ll-Clark	÷			
	Crease Method				None	ŧ				
					Facevarying Propogate to Corners					
		Facevarying Boundar		old sty	le			÷		
		Boun	idary Inte	rpolati	none			;		
				🎸 Prete	ssellate					
					Water	tight				
		Stitch	Bound C	oordin						
		St	itch Boun	d Radius	0					
	æ	NuPa	atch							
	Ð	Proc	edural							
U										9

To match geometry from Maya (a common request and our default) you will see:

- Catmull-Clark
- Interpolation: Sharp Creases and Corners
- Facevarying Boundary: New Style, internal only

Details on these settings along with illustrations can be found on the RenderMan page for Subdivision Surfaces

The images below were rendered using the PxrVisualizer integrator in Houdini.

No Subdivision