Stylized Looks in Houdini



There are 3 required components for setting up a stylized render:

1. Add a Stylized Display Filter

These filters can be created and appended to the display filter list with the RenderMan menu tool.

<u>R</u> enderMan risl		* ╢ Q 🛈 💿							
Render Stop	Render in Background View RIB Bake	Controls							
Valid Frame Range	Render Current Frame								
Start/End/Inc									
Render With Take	(Current) 🌲								
Camera	金藤								
Override Camera Resolution									
Rendering Images C	bjects Scripts Driver Filters Advanced								
Display Filters	2 + - Clear								
<pre>> /out/display_filters/pxrstylizedhatching1</pre>									
× + /out/displa	a 🔻								

2. Enable Stylized AOVs

This parameter will add the necessary AOVs to the displays. Disabling this option will remove stylized display filters from the render.

RenderM	lan risl						* 11	Q 🛈	?
Render	Stop	Render in Background View RIB Bake				Bake	Con	trols	
Valid Frame Range		Render Current Frame							
Render With Take		(Current	t) 🌲						
	Camera	/obj/ca	ml					া ই	z
	Override Camera Resolution								
Rendering	Images Ot	pjects Scripts Driver Filters Advanced							
Displays 1				+ -	Clear				
0									
×Ŷ		Display	\$HIP/rende	er/\$HIP	NAME.\$OS.	\$F4.ex	r	• 🖡	
Device			🎸 Create Inte		Directories				
			it						
✓ Enable Stylized Looks									
		Denoise	. Single Fram						

3. Connect PxrStylizedControl to materials

Not all objects in the scene need to have this pattern. A dynamic array is needed to connect the integer output of PxrStylizedControl to PxrSurface's utilityPattern input. To add PxrStylizedControl to multiple materials, use the Stylize tool found in the RenderMan menu.



The "R24 Stylized" shelf button will set up all 3 necessary components described above

- Create a RIS ROP with stylized looks enabled.
- Adds Hatching display filter.

(i)

Adds PxrStylizedControl to the materials of all selected objects.